LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

PRINTED: 6/23/2023 FORM APPROVED 2567-L

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) NAME OF PROVIDER OR SUPPLIER: CENTENNIAL HEALTHCARE AND REHABILITATION CENTER (XI) PROVIDER/SUPPLIER/IDENTIFICATION NUMBER 395950			(X2) MULTIPLE CONSTRUCTION: A. BLDG:00_ B. WING: CITY, STATE, ZIP CODE: IRARD AVENUE IIA, PA 19104		(X3) DATE SURVEY COMPLETED: 05/03/2023	
STATE LICENSE NUMBER: 193902 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE		(X5) COMPLETE DATE
Based on an Abbreviated of complaint completed on M Healthcare and Rehabilitate deficient practice under the 483, Subpart B, Requirem and the 28 PA Code, Com Term Care Licensure Regional Company of the 28 PA Code,	Based on an Abbreviated Survey in response to a complaint completed on May 3, 2023, at Centennial Healthcare and Rehabilitation Center, identified no deficient practice under the requirements of 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities and the 28 PA Code, Commonwealth of Pennsylvania Long Term Care Licensure Regulations related to the health portion of the survey process.		F 0000			

TITLE:

(X6) DATE:

Any deficiency statement ending with an asterisk (*) denotes a deficiency which may be excused from correction providing it is determined that other safeguards provide sufficient protection to the patients. The findings stated above are disclosable whether or not a plan of correction is provided. The findings are disclosable within 14 days after such information is made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

This form is a printed electronic version of the CMS 2567L. It contains all the information found on the standard document in much the same form. This electronic form once printed and signed by the facility administrator and appropriately posted will satisfy the CMS requirement to post survey information found on the CMS 2567L.

CMS-2567L KT0411 IF CONTINUATION SHEET Page 1 of 1



Certified End Page

CENTENNIAL HEALTHCARE AND REHABILITATION CENTER

STATE LICENSE NUMBER: 193902 SURVEY EXIT DATE: 05/03/2023

I Certify This Document to be a True and Correct Statement of Deficiencies and Approved Facility Plan of Correction for the Above-Identified Facility Survey

Jeane Parisi

Deputy Secretary for Quality Assurance

fearre Janie

Debra L. Bogu MD

Debra L. Bogen, MD, FAAP Acting Secretary of Health



THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY